


TEST CHARTS

DATASHEET

VF2316, VF2317, VF2319, VF2321, VF2323, VF2325, VF2343, VF2344, VF2345, VF2346, VF2347, VF2354

PRODUCT DESCRIPTION

A wide range of consistent test charts for testing physical properties of coating, lacquers and inks. Suitable for determining hiding power, opacity and spreading rate. They come in a variety of dimensions from DIN A6 up to and including DIN A4. All charts are film laminated for an excellent solvent and chemical resistance and an even film spread. On each chart there is a section for filling out the date, time and test number.



BUSINESS

Coating Laboratories, Paint Production



FEATURES









- Excellent solvent
- Chemical resistant
- Even film spread
- Note section



SCOPE OF SUPPLY

- TQC test charts, box 100/250 pcs (depending on model)
- Certificate (only available for charts with optical brightener)

ORDERING INFORMATION

| Art. No | size | Optical brightener | Pieces per set | Design | Paper weight | Paper thickness |
|---------------|------------------------------------|--------------------|----------------|---|--------------------|------------------------|
| VF2354 | A3 297x420mm / 16.54x11.69 inch | yes * | 250 |  | 300 g 10.6 oz | 0,29 mm / 0.01 inch |
| VF2345 | A4 210x297 mm / 11.69x8.27 inch | yes * | 250 |  | 300 g / 10.6 oz | 0,29 mm 0.01 inch |

| Art. No | size | Optical brightener | Pieces per set | Design | Paper weight | Paper thickness |
|---------------|------------------------------------|--------------------|----------------|---|------------------|------------------------|
| VF2347 | A4 210x297 mm / 11.69x8.27 inch | yes * | 250 |  | 300 g 10.6 oz | 0,29 mm 0.01 inch |
| VF2344 | A5 148x210 mm / 8.27x5.83 inch | yes * | 250 |  | 250 g 8.8 oz | 0,29 mm 0.01 inch |
| VF2346 | A5 148x210 mm / 8.27x5.83 inch | yes * | 250 |  | 300 g 10.6 oz | 0,29 mm 0.01 inch |
| VF2343 | A6 105x148 mm / 5.83x4.13 inch | yes * | 250 |  | 300 g 10.6 oz | 0,29 mm 0.01 inch |
| VF2316 | 165x480mm / 6.5 x 18.9 inch | no * | 100 |  | 300 g 10.6 oz | 0,29 mm / 0.01 inch |
| VF2321 | A4 210x297 mm / 11.69x8.27 inch | no | 250 |  | 250 g 8.8 oz | 0,29 mm 0.01 inch |
| VF2325 | A4 210x297 mm / 11.69x8.27 inch | no | 250 |  | 250 g 8.8 oz | 0,29 mm 0.01 inch |
| VF2319 | A5 148x210 mm / 8.27x5.83 inch | no | 250 |  | 250 g 8.8 oz | 0,29 mm 0.01 inch |

| Art. No | size | Optical brightener | Pieces per set | Design | Paper weight | Paper thickness |
|---------------|-----------------------------------|--------------------|----------------|---|-----------------|----------------------|
| VF2323 | A5 148x210 mm / 8.27x5.83 inch | no | 250 |  | 250 g 8.8 oz | 0,29 mm 0.01 inch |
| VF2317 | A6 105x148 mm / 5.83x4.13 inch | no | 250 |  | 250 g 8.8 oz | 0,29 mm 0.01 inch |

* Certificate only available for charts with optical brightener

ACCESSORIES

- VF1602** TQC Glass Film Application Table, 230 x 160 mm / 9.06x6.3 inch
- VF1603** TQC Glass Film Application Table, 300 x 100 mm / 11.81x3.94 inch
- VF1601** TQC Glass Film Application Table, 380 x 230 mm / 14.96x9.06 inch

DISCLAIMER

The right of technical modifications is reserved.

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.